

# Safety data sheet

Page: 1/11

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.11.2019

Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

---

## 1. Identification

### Product identifier

## Ultrafuse PP

Chemical name: Ultrafuse PP

Recommended use: 3D Printing

### Details of the supplier of the safety data sheet

Company:

BASF 3D Printing Solutions B.V.

Eerste Bokslotweg 17

7821 AT Emmen, Netherlands

Telephone: + 31 591 820 389

E-mail address: sales@basf-3dps.com

### Emergency telephone number

National Poisoning Information Centre: +31 30 – 2748888

Information only for professionals in case of acute intoxication

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

### Label elements

#### Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

#### **Other hazards**

##### According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

---

### **3. Composition/Information on Ingredients**

#### **Substances**

##### Chemical nature

Polymer

##### Hazardous ingredients (GHS)

According to UN GHS criteria

No particular hazards known.

#### **Mixtures**

Not applicable

---

### **4. First-Aid Measures**

#### **Description of first aid measures**

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water. Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 14.11.2019  
Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

Rinse mouth and then drink 200-300 ml of water. If adverse health effects develop seek medical attention.

**Most important symptoms and effects, both acute and delayed**

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

**Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

**5. Fire-Fighting Measures****Extinguishing media**

Suitable extinguishing media:  
water spray, foam, dry powder

**Special hazards arising from the substance or mixture**

carbon oxides

The substances/groups of substances mentioned can be released in case of fire.

**Advice for fire-fighters**

Special protective equipment:  
Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

**6. Accidental Release Measures**

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

**Personal precautions, protective equipment and emergency procedures**

No special precautions necessary.

**Environmental precautions**

Discharge into the environment must be avoided.

**Methods and material for containment and cleaning up**

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Vacuum up spilled product.

Reclaim for processing if possible. Ensure adequate ventilation. Avoid raising dust.

---

## 7. Handling and Storage

### Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Paper/Fibreboard

Storage stability:

Protect against moisture.

The product properties may change negatively with prolonged exposure to low temperature or frost. Damage by exceeding the maximum temperature is not reversible.

---

## 8. Exposure Controls/Personal Protection

### Control parameters

#### Components with occupational exposure limits

No occupational exposure limits known.

### Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.11.2019

Version: 2.0

Product: **Ultrafuse PP**

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	filament
Colour:	natural
Odour:	odourless
Odour threshold:	not applicable
pH value:	not applicable
Melting point:	220 - 240 °C
softening point:	105 °C
Boiling point:	not applicable
Flash point:	not applicable
Evaporation rate:	The product is a non-volatile solid.
Flammability:	not flammable
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Ignition temperature:	not applicable
Vapour pressure:	not applicable
Relative density:	1,05
Relative vapour density (air):	not applicable
Solubility in water:	insoluble
Partitioning coefficient n-octanol/water (log Kow):	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off.

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 14.11.2019  
Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

Viscosity, dynamic: not applicable  
Explosion hazard: not explosive  
Fire promoting properties: not fire-propagating

### Other information

Self heating ability: It is not a substance capable of spontaneous heating.

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### Conditions to avoid

Avoid dust formation. Avoid deposition of dust.

### Incompatible materials

Substances to avoid:  
oxidizing agents

### Hazardous decomposition products

Thermal decomposition products:  
Prolonged thermal loading can result in products of degradation being given off.

---

## 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:  
Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:  
(oral):No applicable information available.

(by inhalation):The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

### Irritation

Experimental/calculated data:  
Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

### Respiratory/Skin sensitization

Assessment of sensitization:  
The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Germ cell mutagenicity

Assessment of mutagenicity:  
The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Carcinogenicity

Assessment of carcinogenicity:  
The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Reproductive toxicity

Assessment of reproduction toxicity:  
The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Developmental toxicity

Assessment of teratogenicity:  
The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Specific target organ toxicity (single exposure)

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 14.11.2019  
Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the structure of the product.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to the substance by dermal administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by inhalative administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by oral administration leads to effects similar to those found after single exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

---

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. The product has not been tested.

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

Experience shows this product to be inert and non-degradable.  
The product has not been tested.

### Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

### Mobility in soil

Assessment transport between environmental compartments:



BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 14.11.2019  
Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

Adsorption in soil: Adsorption to solid soil phase is expected.

### Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

---

## 13. Disposal Considerations

### Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Dispose of in accordance with national, state and local regulations.

---

## 14. Transport Information

### Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.11.2019

Version: 2.0

Product: **Ultrafuse PP**

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

**Sea transport**

IMDG

Not classified as a dangerous good under transport regulations  
UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

**Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations  
UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

Regulation: Not evaluated  
Shipment approved: Not evaluated  
Pollution name: Not evaluated  
Pollution category: Not evaluated  
Ship Type: Not evaluated

---

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.11.2019

Product: **Ultrafuse PP**

Version: 2.0

(ID no. 972169/SDS\_GEN\_00/EN)

Date of print 17.11.2019

---

## 15. Regulatory Information

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

## 16. Other Information

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.